A Major-Project report on

"POWER QUALITY IMPROVEMENT USING DVR"

Submitted to

Jawaharlal Nehru Technological University, Hyderabad

In partial fulfilment of the academic requirements for

the award of Degree of

BACHELOR OF TECHNOLOGY

In

ELECTRICAL & ELECTRONICS ENGINEERING


By

K. NAVYA SRI 206Y5A0212
CH.DEEPTHI 206Y5A0204
T. AKHILA 196Y1A0216
R. SRAVANI 196Y1A0213
K. KALYANI 206Y5A0214

Under the esteemed guidance of

Mr. R.Shashi Kumar Reddy M.Tech

Assistant Professor



DEPARTMENT OF ELECTRICAL & ELECTRONICS ENGINEERING





2022-23




PRINCIPAL

Sumathi Reddy Institute of Technology for Women Ananthasagar (V), Hasanparthy (M) WARANGAL- 506 371 (T.S.)



DEPARTMENT OF ELECTRICAL & ELECTRONICS ENGINEERING



CERTIFICATE

certify that the major project entitled "POWER **OUALITY** IMPROVEMENT USING DVR" submitted to JNTUH carried out by the following students of IV-B.Tech in the partial fulfillment for the award of the B.Tech Degree in Electrical & Electronics Engineering during the academic year 2022-23.

K. NAVYA SRI

CH. DEEPTHI

T.AKHILA

R. SRAVANI

K.KALYANI

206Y5A0212

206Y5A0204

196Y1A0216

196Y1A0213

206Y5A0214

Rrs-le Rela Guide

Mr. R.Shashi Kumar Reddy

Head of the De

Dr. K. Mahender Sharma

Sumathi Reddy Institute of Technology for Women Ananthasagar (V), Hasanparthy (M) WARANGAL- 506 371 (T.S.)

ABSTRACT

Power Quality is an essential concern in the modern power system that can affect consumers and utility. The integration of renewable energy sources, smart grid systems and extensive use of power electronics equipment caused myriad problems in the modern electric power system. Current and voltage harmonics, voltage sag, and swell can damage the sensitive equipment. These devices are susceptible to input voltage variations created by interference with other parts of the system. Hence, in the modern age, with an increase in sensitive and expensive electronic equipment, power quality is essential for the power system's reliable and safe operation. Dynamic Voltage Restorer (DVR) is a potential Distribution Flexible AC Transmission System (D-FACTS) device widely adopted to surmount the problems of non-standard voltage, current, or frequency in the distribution grid. It injects voltages in the distribution line to maintain the voltage profile and assures constant load voltage. The simulations were conducted in MATLAB/Simulink to show the DVR-based proposed strategy's effectiveness to smooth the distorted voltage due to harmonics. A power system model with a programmable power source is used to include 3rd and 5th harmonics. The systems' response for load voltage is evaluated for with and without DVR scenarios. It has been noted that the proposed DVR based strategy has effectively managed the voltage distortion, and a smooth compensated load voltage was achieved. The load voltage THD percentage was approximately 18% and 23% with insertion 3rd and 5th harmonics in the supply voltage, respectively. The inclusion of the proposed DVR has reduced THD around less than 4% in both cases.



Principal
Sumathi Reddy Institute of Technology for Women
Ananthasagar (V), Hasanparthy (M)
WARANGAL - 506 371 (TS)