

A
Major Project Report
on
**AUTOMATIC CAR PARKING SYSTEM WITH EMPTY SLOT
DETECTION**

Submitted to

Jawaharlal Nehru Technological University, Hyderabad

in partial fulfilment of the requirements for the award of Degree of

BACHELOR OF TECHNOLOGY

in

ELECTRONICS AND COMMUNICATION ENGINEERING

BY

SHIVANI DIWAN	196Y1A0482
NALLABELLY RISHITHA	196Y1A0470
VEMULA SREELEKHA	196Y1A04A1
THUMMA DEEPTHIMAI	196Y1A0493

Under the guidance

Of

MRS.D.RAGHAVAKUMARI

Assistant professor



DEPARTMENT OF ELECTRONICS AND COMMUNICATION ENGINEERING

SUMATHI REDDY INSTITUTE OF TECHNOLOGY for WOMEN

(Approved by AICTE, New Delhi; Affiliated to JNTU, Hyderabad)

Ananthasagar(Vill), Hasanparthy(M), Warangal - 506 371(T.S.), Website: www.sritw.org

2022-2023



Rajan

PRINCIPAL

Sumathi Reddy Institute of Technology for Women
Ananthasagar (V), Hasanparthy (M)
WARANGAL - 506 371(T.S.)

SUMATHI REDDY INSTITUTE OF TECHNOLOGY for WOMEN

(Approved by AICTE, New Delhi; Affiliated to JNTU, Hyderabad)

Ananthasagar(Vill), Hasanparthy(M), Warangal - 506371(T.S.), Website: www.sritw.org


DEPARTMENT OF ELECTRONICS AND COMMUNICATION ENGINEERING



CERTIFICATE

This is to certify that the Project Entitled “AUTOMATIC CAR PARKING SYSTEM WITH EMPTY SLOT DETECTION” is submitted by D.SHIVANI(196Y1A0482), N.RISHITHA(196Y1A0470), V.SREELEKHA(196Y1A04A1), T.DEEP THIMAI(196Y1A0493) in the partial fulfilment of requirement for the award of degree of Bachelor Technology in Electronics and Communication Engineering during academic year 2022-2023.


Mr.D.Ragavakumari
Project Guide


Dr.K.MAHENDER
Head of the Department

External Examiner


PRINCIPAL



ABSTRACT

Our system consists of an LCD display that is used to demonstrate as a parking gate entrance display. The display displays empty slots to new car arriving at gate of parking area. If no parking space is available the system does not open the gate and displays parking full. If slot is empty system allows car to enter the lot and displays empty slots where user can park. To detect vehicle slot occupancy the system uses IR sensors. Also system uses IR sensors to detect vehicle arriving at parking gates to open the gates automatically on vehicle arrival. The microcontroller is used to facilitate the working of the entire system.