

A
Project Report

On

**MAPPING BUG REPORTS TO RELEVANT FILES:A RANKING MODEL,A FINE-
GRAINED BENCHMARK,AND FEATURE EVALUTION**

Submitted to

Department of
Computer Science and Engineering

By

BEJJANKI SAMADHARSHINI	(206Y1A6605)
JULAPELLY VARSHA	(206Y1A6624)
CHERALA LIKHITHA	(206Y1A6608)
PENDHOTA LLAXMI PRASANNA	(206Y1A6642)

Under the guidance

Of

Mr.M.RANJITH KUMAR
Asst.Professor



Department of Computer Science & Engineering

SUMATHI REDDY INSTITUTE OF TECHNOLOGY for WOMEN

(Approved by AICTE, New Delhi; Affiliated to JNTU, Hyderabad)

Ananthasagar(Vill), Hasanparthy(M), Warangal – 506 371 (A.P.), Website : www.sritw.org

2022-2023

Rajin

PRINCIPAL

Sumathi Reddy Institute of Technology for Women
Ananthasagar (V), Hasanparthy (M)
WARANGAL - 506 371 (T.S.)



SUMATHI REDDY INSTITUTE OF TECHNOLOGY for WOMEN

(Approved by AICTE, New Delhi; Affiliated to JNTU, Hyderabad)

Ananthasagar(Vill), Hasanparthy(M), Warangal – 506 371 (A.P.), Website : www.sritw.org

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING



CERTIFICATE

This is to certify that the project entitled “**MAPPING BUG REPORTS TO RELEVANT FILES:A RANKING MODEL,A FINE-GRAINED BENCHMARK,AND FEATURE EVALUTION**” is submitted by BEJJANKI SAMADHARSHINI(206Y1A6605), JULAPELly VARSHA(206Y1A6624), CHERALA LIKHITHA(206Y1A6608) and PENDHOTA LLAXXMI PRASANNA(206Y1A6642) to the department of Computer Science and Engineering during academic year 2022-23.

Mr.M.RANJITH KUMAR
Project Guide

Dr.E.SUDARSHAN
Head of the Department

PRINCIPAL

Sumathi Reddy Institute of Technology for Women
Ananthasagar (V), Hasanparthy (M)
WARANGAL - 506 371 (A.P.)



ABSTRACT

Overlay Routing is a very attractive scheme that allows improving certain properties of the routing (such as delay or TCP throughput) without the need to change the standards of the current underlying routing. However, deploying overlay routing enquires the placement and maintenance of overlay infrastructure. This gives rise to the following optimization problem: Find a minimal set of overlay nodes such that the required routing properties are satisfied. In this paper, we rigorously study this optimization problem. We show that it is NP-hard and derive a nontrivial approximation algorithm for it, where the approximation ratio depends on specific properties of the problem at hand. We examine the practical aspects of the scheme by evaluating the gain one can get over several real scenarios. The first one is BGP routing, and we show, using up-to-date data reflecting the current BGP routing policy in the Internet, that a relative small number of less than 100 relay servers is sufficient to enable routing over shortest paths from a single source to all autonomous systems (ASs), reducing the average path length of inflated paths by 40%. We also demonstrate that the scheme is very useful for TCP performance improvement (results in an almost optimal placement of overlay nodes) and for Voice-over-IP (VoIP) applications where a small number of overlay nodes can significantly reduce the maximal peer-to-peer delay.



Rijan

Principal

Sumathi Reddy Institute of Technology for Women
Ananthasagar (V), Hasanparthy (M)
WARANGAL - 506 371 (TS)